

SLIM KEYBOARD QUICK START GUIDE

MODEL 176385



MAN-176385-QSG-0507-02

Thank you for purchasing the MANHATTAN® Slim Keyboard, Model 176385.

In addition to MANHATTAN's unsurpassed Lifetime Warranty, this keyboard features a thin, modern design that complements flat-screen displays, computers and peripherals, plus:

- Scissor-style (X-structure) key switches for reduced typing noise and precise keystroke response
- Ergonomic key arrangement with full-size keys and compact layout
- Flat profile and adjustable tilt mechanism for comfortable typing positions

Before Getting Started

Before connecting or disconnecting a this keyboard, it's recommended that the computer be turned off. Also, to reduce the risk of damage or data loss, don't unplug the keyboard while the computer is functioning.


Connecting Cables

PS/2 Models: Connect the keyboard to the PS/2 port on the back of the computer. (Most computers have color-coded connections: The mouse usually connects to the purple port.) After connecting the keyboard, turn on the computer.



USB Models: Connect the keyboard to the USB port on the front or back of the computer. If you're using a MANHATTAN USB hub, the keyboard may be connected to an unused hub port. After connecting the keyboard cable, turn on the computer.

Type A Slot



Type B Slot



SPECIFICATIONS

General

- Compatible with Windows Me/2000/XP/Vista
- Number, Scroll and Caps Lock LED indicators

Electrical (working levels)

- Voltage: 5 V; tolerance +/- 0.25 V

Physical

- Key cap force: 55 +/- 20 g; pulling force, 1.0 kg
- 10,000,000-keystroke switch life
- Key operating travel: 2.2 +/- 0.3 mm
- Cable: 1.6 m (63 in.)
- 46 x 17 x 1 cm (18 x 7 x 0.4 in.); 822 g (29 oz.)

Package Contents

- Slim Keyboard
- Quick start guide



www.manhattan-products.com

Are you completely satisfied with this product?
Please contact your MANHATTAN® dealer
with comments or questions.

Copyright © MANHATTAN

All products mentioned are trademarks or registered trademarks of their respective owners.